

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	2459	((hi or high) adj power) adj (amp\$1 or amplifier\$1 or transistor\$1)	USPAT; US-PGP UB	2004/10/26 10:15
2	BRS	L2	22	((hi or high) adj power) adj (PNP or NPN)	USPAT; US-PGP UB	2004/10/26 10:15
3	BRS	L3	189	power adj (PNP or NPN)	USPAT; US-PGP UB	2004/10/26 10:15
4	BRS	L4	46765	power adj (amp\$1 or amplifier\$1 or transistor\$1)	USPAT; US-PGP UB	2004/10/26 10:16
5	BRS	L5	3350	(1 or 2 or 3 or 4) with (bipolar or bi-polar or PNP or NPN)	USPAT; US-PGP UB	2004/10/26 11:02
6	BRS	L6	13	5 same (quiescent adj current\$1)	USPAT; US-PGP UB	2004/10/26 11:03
7	BRS	L7	120	5 and (quiescent adj current\$1) not 6	USPAT; US-PGP UB	2004/10/26 11:00
8	BRS	L8	2997	327/108,478,482,485,486,488 ,489,544.ccls.	USPAT; US-PGP UB	2004/10/26 11:01
9	BRS	L9	1649	330/288,289,296.ccls.	USPAT; US-PGP UB	2004/10/26 11:01
10	BRS	L10	734	(1 or 2 or 3 or 4) and (8 or 9)	USPAT; US-PGP UB	2004/10/26 11:02
11	BRS	L12	460	10 and base\$1 and emitter\$1 and collector\$1	USPAT; US-PGP UB	2004/10/26 12:13
12	BRS	L13	73	12 and (quiescent adj current\$1)	USPAT; US-PGP UB	2004/10/26 12:15

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L14	387	12 not (13 or 6 or 7)	USPAT; US-PGP UB	2004/10/26 11:19
14	BRS	L15	112	14 and (control\$5 near3 bias\$3)	USPAT; US-PGP UB	2004/10/26 12:20
15	BRS	L16	1145	327/530.ccls.	USPAT; US-PGP UB	2004/10/26 11:40
16	BRS	L17	52	16 and (1 or 2 or 3 or 4)	USPAT; US-PGP UB	2004/10/26 11:40
17	BRS	L18	51	17 not (6 or 7 or 13 or 15)	USPAT; US-PGP UB	2004/10/26 11:40
18	BRS	L19	221	16 and base\$1 and emitter\$1 and collector\$1	USPAT; US-PGP UB	2004/10/26 11:43
19	BRS	L20	462	(14 or 19) not (15 or 18)	USPAT; US-PGP UB	2004/10/26 11:43
20	BRS	L21	387	20 and (base near5 emitter)	USPAT; US-PGP UB	2004/10/26 11:44
21	BRS	L22	366	20 and (base near5 collector)	USPAT; US-PGP UB	2004/10/26 11:44
22	BRS	L23	342	21 and 22	USPAT; US-PGP UB	2004/10/26 11:44
23	BRS	L24	197	23 and (emitter near5 resistor\$1)	USPAT; US-PGP UB	2004/10/26 11:45
24	BRS	L25	201	23 and (base near5 resistor\$1)	USPAT; US-PGP UB	2004/10/26 11:45

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L26	162	23 and (collector near5 resistor\$1)	USPAT; US-PGP UB	2004/10/26 11:45
26	BRS	L27	114	24 and 25 and 26	USPAT; US-PGP UB	2004/10/26 11:55
27	BRS	L28	135	(24 or 25 or 26) not 27	USPAT; US-PGP UB	2004/10/26 12:04
28	BRS	L29	93	23 not (27 or 28)	USPAT; US-PGP UB	2004/10/26 12:08
29	BRS	L30	69	(21 or 22) not 23	USPAT; US-PGP UB	2004/10/26 12:11
30	BRS	L31	51	20 not (21 or 22)	USPAT; US-PGP UB	2004/10/26 12:11
31	BRS	L32	2035	(8 or 9 or 16) and base\$1 and emitter\$1 and collector\$1	USPAT; US-PGP UB	2004/10/26 12:14
32	BRS	L33	1360	32 not (6 or 7 or 13 or 15 or 18 or 20)	USPAT; US-PGP UB	2004/10/26 12:15
33	BRS	L34	107	33 and (quiescent adj current\$1)	USPAT; US-PGP UB	2004/10/26 12:15
34	BRS	L35	167	33 and (control\$5 near3 bias\$3) not 34	USPAT; US-PGP UB	2004/10/26 12:21
35	BRS	L36	34	33 and ((effective or equivalent) adj resistance)	USPAT; US-PGP UB	2004/10/26 12:34
36	BRS	L37	162	35 not 36	USPAT; US-PGP UB	2004/10/26 12:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L38	120	37 and diode\$1	USPAT; US-PGP UB	2004/10/26 12:31
38	BRS	L39	42	37 not 38	USPAT; US-PGP UB	2004/10/26 12:32
39	BRS	L40	6	32 and (((effective or equivalent) adj resistance) with (bipolar or bi-polar or PNP or NPN))	USPAT; US-PGP UB	2004/10/26 12:38
40	BRS	L41	16	32 and (((control\$3 or adjust\$3 or vary\$3 or vari\$5) adj resistance) with (bipolar or bi-polar or PNP or NPN))	USPAT; US-PGP UB	2004/10/26 12:39